

RA Roseleigh **Angus**

ANGUS BULL SALE

36 STUD & HERD BULLS



SALE DAY - TUESDAY 13th FEBRUARY 2024
10:30am @ MANDAYEN EIGHT MILE SELLING COMPLEX

FIELD DAY - TUESDAY 6th FEBRUARY 2024
AT KEITH SHOWGROUNDS

PERFORMANCE - GOOD TEMPERAMENT - RESULTS

Roseleigh Angus in 2023



RA Roseleigh Angus

2024 ANGUS BULL SALE

Tuesday 13th February 2024
36 HBR & APR BULLS

All bulls performance recorded & scanned.
Roseleigh bulls can be viewed for inspection on property,
at any time by appointment.
3% buyer rebate to outside agents.
Free delivery by vendors within 300km radius. Conditions apply.

BBQ lunch & refreshments at conclusion of sale

FOR FURTHER DETAILS PLEASE CONTACT:

Mat Cowley

P. (08) 8577 8482

M. 0428 778 482

e. mat@roseleighangus.com.au

Ron Cowley

P. (08) 8577 8160

M. 0408 327 045

e. roseleigh50@gmail.com



Jonathan Spence

Simon Lehmann

0427 084 951

0427 478 590



www.roseleighangus.com.au

Welcome

Welcome to the 2024 Roseleigh Angus Bull Sale on the property of Damian and Mandy Gommers, Eight Mile Selling Complex.

2024 marks 70 years since Ron's late father, Charles Cowley, made the first purchase of Angus cattle for the Roseleigh Stud, at the 1954 Adelaide Show. Much has changed in the last 70 years, and we are excited for what is to come in the next 70 with third and fourth generation Cowley's continuing the Roseleigh stud line.

The 2024 line-up includes 36 bulls by a variety of sires including B+B Identity, MM Quixote Q96, MM Paratrooper P15, EG Eyes on You, Sydgen Enhance, Clunie Range Palm Tree P511, Mandayen Hector P417 and Brooklana Emperor Q23.

This year's line-up of bulls are showing great promise, with excellent temperament, strong figures and structural soundness. The bulls have scanned very well, with an average EMA of 116cm² at 16 months of age. We keep a keen eye on our EMA figures as we believe this is key to improving your herd and essentially equates to more dollars in your pocket.

We place a strong selection emphasis on phenotypic characteristics and temperament to ensure you can confidently select a bull with the potential to improve frame and docility in your herd. We have bulls to suit both commercial and stud enterprises that will perform in the paddock and on paper. We look forward to the opportunity to contribute to your Angus future.

Finally, we would like to again thank Damian and Mandy Gommers for allowing us the use of their selling complex and facilities. We welcome you to our 2024 Bull Sale, and if you have any enquiries, please contact Mathew or Ron.

The Roseleigh Team





**Commitment
Knowledge
Results**


www.spencedixandco.com.au



Sale Information

LOCATION

The 2024 Bull Sale will be held at Mandayen Eight Mile Selling Complex, via Emu Flat Road, Keith. Follow the signs from Keith.



INSPECTION OF BULLS

The sale bulls will be yarded at Mandayen Eight Mile Selling Complex from 9:00am on the morning of the sale.

You are welcome to view the bulls on property at Pinnaroo, anytime, by appointment with the vendor.

A selection of sale bulls will be available to inspect at the SA Beef Week field days, on Tuesday 6th February 2024 at the Keith Showgrounds.

DELIVERY

To be co-ordinated after the sale. All instructions for transport must be in writing. Buyers instruction slip must be completed prior to departure from sale. Bulls sold are entitled to free delivery by the vendor within 300km. Conditions apply.

INSURANCE

Daniel Menzel, Elders Insurance will be in attendance on the day.

ACCOMMODATION

Accommodation is available at Willalooka, Keith or Bordertown.

Willalooka Tavern (08) 8757 8242

Keith Motel (08) 8755 1122

Keith Motor Inn (08) 8755 1500

Contact the agents in Keith for more advice.

REBATE

3% to outside agents introducing buyers in writing to the selling agents 24 hours prior to the sale and settling within seven days. Does not apply to affiliates of selling agents.

AUCTIONS PLUS

The sale will be live for bidding on Auctions Plus.

MOBILE PHONE BIDDING

There will be mobile phones available for bidding. To ensure you get a line, please contact Jonathan Spence 0427 084 951 to arrange phone bidding.

LUNCH AND REFRESHMENTS

A BBQ lunch and refreshments will be served by the Keith Lions club. Please join us for a complimentary streak sandwich at the conclusion of the sale.

SUPPLEMENTARY SHEETS

Will be available on sale day with current weights.

DNA PATERNITY VERIFICATION

It is a requirement of Angus Australia that all bulls used to sire calves for registration in the Angus Australia Herd Book Register, Red Angus Register and Angus Performance Register must have been DNA paternity verified if they are born in or after the "Y" year (2003). Buyers intending to use bulls listed in this catalogue to produce calves to be registered in these registers should obtain DNA paternity verification on those bulls before they are used for breeding.

About the Bulls

HEALTH

The Roseleigh herd holds a J-BAS 6 status. All bulls have been:

- Tested as Pestivirus PI negative
- Double vaccinated with 7 in 1

WEIGHING CALVES

Roseleigh Angus do weigh calves at birth, so therefore actual weights are true. Comparisons of Birth Weights should be treated with caution across calving seasons. Actual data comparisons should not be made across herds due to different management practices and seasonal conditions.

FERTILITY

All sale bulls have been examined for fertility. This examination includes a semen test and palpitation of the sexual anatomy, measurement and examination of the testes. All bulls have undergone semen quality and penile visual analysis by Nationwide Artificial Breeders and have passed. Individual certificates are available on request.

The bulls are guaranteed fertile. Notice of infertility in all cases of such, to be in writing and in the hands of the vendor not later than six calendar months from date of sale.

The purchase price of any bull proved to be infertile shall be refunded in full (less the salvage value) without interest, expenditure, cost or damages. A vet's certificate shall be produced by the purchaser when required.

Health and Safety

OF VISITORS TO OUR SALE - RULES AND ADVICE

All the sale bulls have been screened for temperament and are quiet to handle under normal circumstances. However, there are inherent risks associated with cattle handling

- Visitors enter the Cattle pens at their own risk
- Children must NOT enter the yards.
- People entering the yards are at risk of injury. Be especially alert for bulls fighting and if one is playful with you, do not respond by patting his head. What a bull considers a playful nudge can break human legs! We do not expect the bulls to be aggressive with humans, but sale day places an extraordinary pressure on them as they experience an entirely foreign environment. Remember even the quietest bulls is in fact an unpredictable animal.
- Do not crowd the bulls or loiter in their pens. We cannot cover every example of cattle handling, so please use common sense and be alert at all times. Don't enter the pens unnecessarily. If you feel threatened whatsoever, please do not act hardy. The stigma of a person screaming as he dives over a fence is a preferable option to a broken body resulting from "standing up to" an unfamiliar beast.
- Please call upon an agent for an escort through the bulls if required.

**THE DAYS OF BRAVADO WITH STOCK
HAVE PASSED UNDER CURRENT OH&S
LEGISLATION**

TransTasman Angus Cattle Evaluation - October 2023 Reference Tables

BREED AVERAGE EBVs																											
CEDir	CEDir	Birth				Growth						Fertility				Carcass				Other				Structure		Selection Indexes	
		GL	BW	200	400	400	600	600	MCW	Milk	SS	DTC	CWT	EWA	RIB	P8	EMA	RIB	P8	RFI	NFLF	DOC	Claw	Angle	Leg	\$A	\$A-L
+2.1	+2.6	-4.8	+4.0	+50	+90	+117	+100	+17	+2.1	-4.6	+66	+6.3	+0.0	-0.3	+0.5	+2.2	+0.20	+20	+0.84	+0.97	+1.03	+196	+338				

* Breed average represents the average EBV of all 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the October 2023 TransTasman Angus Cattle Evaluation

PERCENTILE BANDS TABLE																												
% Band	CEDir	CEDir	Birth				Growth						Fertility				Carcass				Other				Structure		Selection Indexes	
			GL	BW	200	400	400	600	600	MCW	Milk	SS	DTC	CWT	EWA	RIB	P8	EMA	RIB	P8	RFI	NFLF	DOC	Claw	Angle	Leg	\$A	\$A-L
1%	+10.9	+9.9	-10.7	-0.4	+70	+123	+162	+160	+28	+4.8	-8.0	+99	+4.3	+5.1	+2.0	+5.9	-0.52	+43	+0.42	+0.60	+0.74	+273	+448					
5%	+9.0	+8.2	-8.8	+1.0	+64	+112	+148	+141	+25	+3.9	-7.1	+88	+2.9	+3.4	+1.5	+4.6	-0.30	+36	+0.54	+0.70	+0.84	+252	+418					
10%	+7.9	+7.2	-7.9	+1.7	+61	+107	+140	+131	+23	+3.5	-6.5	+83	+2.2	+2.5	+1.3	+4.0	-0.19	+32	+0.60	+0.76	+0.88	+241	+402					
15%	+7.0	+6.5	-7.3	+2.2	+58	+104	+136	+124	+22	+3.2	-6.2	+79	+1.7	+1.9	+1.1	+3.6	-0.11	+29	+0.64	+0.80	+0.90	+233	+391					
20%	+6.3	+5.9	-6.8	+2.6	+57	+101	+132	+120	+21	+3.0	-5.9	+77	+1.4	+1.5	+1.0	+3.3	-0.05	+27	+0.68	+0.84	+0.92	+227	+382					
25%	+5.6	+5.3	-6.4	+2.9	+55	+99	+129	+115	+20	+2.8	-5.6	+75	+1.1	+1.1	+0.9	+3.1	+0.00	+25	+0.72	+0.86	+0.94	+221	+375					
30%	+5.1	+4.8	-6.0	+3.1	+54	+97	+126	+112	+19	+2.6	-5.4	+73	+0.8	+0.8	+0.8	+2.9	+0.04	+24	+0.74	+0.88	+0.96	+217	+368					
35%	+4.5	+4.3	-5.7	+3.4	+53	+95	+124	+109	+19	+2.5	-5.2	+71	+0.6	+0.5	+0.7	+2.6	+0.08	+23	+0.76	+0.90	+0.98	+212	+362					
40%	+3.9	+3.9	-5.4	+3.6	+52	+93	+121	+105	+18	+2.3	-5.0	+69	+0.4	+0.2	+0.6	+2.4	+0.12	+21	+0.80	+0.92	+1.00	+208	+355					
45%	+3.4	+3.4	-5.1	+3.8	+51	+92	+119	+103	+17	+2.2	-4.8	+68	+0.2	+0.0	+0.6	+2.3	+0.16	+20	+0.82	+0.94	+1.00	+204	+349					
50%	+2.8	+3.0	-4.7	+4.0	+50	+90	+117	+100	+17	+2.1	-4.7	+66	+0.2	-0.3	+0.5	+2.1	+0.19	+19	+0.84	+0.96	+1.02	+199	+343					
55%	+2.2	+2.5	-4.5	+4.3	+49	+88	+114	+97	+16	+2.0	-4.5	+64	-0.3	-0.6	+0.4	+1.9	+0.23	+19	+0.86	+0.98	+1.04	+195	+337					
60%	+1.6	+2.0	-4.2	+4.5	+48	+87	+112	+94	+16	+1.8	-4.3	+63	-0.5	-0.9	+0.3	+1.8	+0.27	+18	+0.88	+1.00	+1.06	+190	+330					
65%	+0.9	+1.4	-3.8	+4.7	+47	+85	+110	+91	+15	+1.7	-4.1	+61	-0.7	-1.1	+0.3	+1.6	+0.31	+17	+0.90	+1.02	+1.08	+185	+323					
70%	+0.2	+0.9	-3.5	+4.9	+46	+83	+107	+87	+14	+1.6	-3.9	+59	-0.9	-1.4	+0.2	+1.4	+0.35	+16	+0.94	+1.04	+1.08	+180	+315					
75%	-0.6	+0.3	-3.2	+5.2	+44	+81	+104	+84	+14	+1.4	-3.7	+57	-1.1	-1.8	+0.1	+1.2	+0.39	+15	+0.96	+1.08	+1.10	+174	+307					
80%	-1.6	-0.5	-2.7	+5.5	+43	+79	+101	+80	+13	+1.3	-3.5	+55	-1.4	-2.1	+0.0	+1.0	+0.44	+14	+1.00	+1.10	+1.12	+167	+297					
85%	-2.8	-1.4	-2.3	+5.9	+41	+76	+97	+75	+11	+1.1	-3.2	+52	-1.7	-2.6	-0.2	+0.8	+0.51	+12	+1.04	+1.14	+1.16	+158	+284					
90%	-4.4	-2.5	-1.6	+6.3	+39	+73	+92	+69	+9	+0.8	-2.8	+49	-2.2	-3.1	-0.3	+0.5	+0.59	+10	+1.08	+1.18	+1.18	+147	+266					
95%	-7.0	-4.4	-0.7	+7.0	+36	+67	+85	+59	+9	+0.4	-2.0	+44	-2.8	-3.9	-0.6	+0.0	+0.72	+7	+1.16	+1.26	+1.24	+128	+238					
99%	-12.7	-8.5	+1.4	+8.5	+28	+56	+40	+6	+6	-0.4	-0.3	+34	-4.2	-5.7	-1.1	-0.8	+0.96	+0	+1.30	+1.38	+1.32	+95	+185					

* The percentile bands represent the distribution of EBVs across the 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the October 2023 TransTasman Angus Cattle Evaluation.



Trans Tasman Angus Cattle Evaluation - October 2023 Reference Tables

BREED AVERAGE EBVs										
	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$PRO	\$T
Brd Avg	+196	+162	+258	+180	+338	+292	+403	+379	+144	+180

* Breed average represents the average EBV of all 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the October 2023 Trans Tasman Angus Cattle Evaluation .

PERCENTILE BANDS TABLE										
% Band	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$PRO	\$T
1%	+273	+229	+363	+260	+448	+391	+538	+511	+228	+235
5%	+252	+210	+334	+238	+418	+363	+502	+474	+205	+221
10%	+241	+200	+318	+226	+402	+349	+482	+454	+193	+213
15%	+233	+193	+308	+218	+391	+339	+469	+441	+184	+207
20%	+227	+188	+299	+211	+382	+331	+458	+431	+177	+203
25%	+221	+183	+292	+206	+375	+324	+449	+422	+171	+199
30%	+217	+179	+285	+201	+368	+318	+440	+413	+166	+195
35%	+212	+175	+279	+196	+362	+313	+432	+406	+161	+192
40%	+208	+172	+273	+192	+355	+307	+425	+399	+157	+189
45%	+204	+168	+267	+187	+349	+302	+417	+391	+152	+186
50%	+199	+164	+262	+183	+343	+296	+410	+384	+147	+182
55%	+195	+161	+256	+178	+337	+291	+402	+377	+143	+179
60%	+190	+157	+249	+173	+330	+285	+394	+369	+138	+176
65%	+185	+153	+243	+169	+323	+279	+385	+361	+133	+172
70%	+180	+148	+236	+163	+315	+272	+376	+352	+127	+169
75%	+174	+143	+228	+157	+307	+264	+365	+342	+120	+164
80%	+167	+137	+218	+150	+297	+256	+352	+331	+113	+160
85%	+158	+130	+207	+141	+284	+244	+336	+316	+104	+153
90%	+147	+121	+192	+130	+266	+230	+315	+296	+92	+145
95%	+128	+105	+170	+113	+238	+206	+282	+264	+73	+133
99%	+95	+77	+128	+81	+185	+160	+222	+200	+38	+109

* The percentile bands represent the distribution of EBVs across the 2021 drop Australian Angus and Angus-influenced seedstock animals analysed in the October 2023 Trans Tasman Angus Cattle Evaluation .

Bull Information Summary

EBV Quick Reference Guide

Animal Ident	Calving Ease			Birth			Growth				Fertility				Carcase				Other			Selection Indexes
	CED	CEM	GL	GL	BW	200	400	600	MCW	Milk	SS	DC	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc	\$A	
1	SCR22T29	+2.1	-0.9	-2.4	+3.9	+58	+109	+141	+122	+22	+2.7	-3.5	+70	+6.8	-0.7	+1.3	-0.2	+2.8	-0.55	+29	\$213	\$374
2	SCR22T52	+7.2	+7.3	-3.9	-1.2	+38	+88	+95	+65	+19	+2.7	-3.7	+49	+8.8	+3.6	+3.6	+0.0	+3.5	+0.71	+23	\$197	\$326
3	SCR22T27	+4.6	+10.0	-5.0	+4.1	+59	+97	+124	+126	+10	+2.3	-1.6	+56	+4.8	-0.8	-1.7	+0.5	+0.7	-0.39	+37	\$172	\$337
4	SCR22T20	-1.3	+3.3	-4.7	+5.5	+63	+117	+153	+151	+17	+3.3	-3.7	+94	+8.0	+1.2	+1.5	+0.4	+0.7	+0.10	+27	\$204	\$386
5	SCR22T21	-2.7	+0.2	-4.6	+5.6	+64	+119	+168	+152	+14	+1.1	-1.4	+95	+1.3	-2.1	-0.3	-0.1	+1.2	-0.99	+44	\$173	\$337
6	SCR22T19	+3.3	+4.0	-5.3	+4.8	+58	+91	+112	+78	+18	+1.1	-6.2	+77	+6.8	-0.1	-1.2	+1.1	+1.5	-0.03	+8	\$253	\$389
7	SCR22T7	+2.8	+5.2	-3.3	+1.9	+40	+72	+89	+56	+19	+2.0	-4.8	+58	+8.2	+4.1	+5.5	-0.1	+0.7	+0.02	+10	\$188	\$302
8	SCR22T59	-5.2	+6.0	+1.1	+5.7	+52	+87	+110	+97	+11	+3.2	-3.0	+51	+4.9	+2.1	+2.3	-0.3	+2.8	+0.38	+12	\$171	\$293
9	SCR22T45	+6.1	+4.0	-2.2	+2.2	+55	+98	+133	+86	+25	+3.0	-5.3	+83	+2.6	+1.2	+3.9	-1.0	+2.6	-0.29	+28	\$232	\$384
10	SCR22T43	-3.5	-14.0	-2.7	+6.4	+59	+107	+144	+121	+16	+2.0	-3.2	+80	+10.1	-2.8	-2.0	+0.6	+2.4	-0.62	+48	\$192	\$322
11	SCR22T33	+3.0	+6.3	-6.2	+3.3	+45	+87	+112	+68	+23	+1.8	-4.1	+75	+8.7	+0.1	+1.5	+0.8	+1.0	-0.17	+22	\$213	\$339
12	SCR22T12	+6.5	+7.1	-7.4	+1.8	+52	+105	+143	+116	+18	+1.9	-5.3	+86	+2.9	-1.5	-1.4	+0.2	+0.7	-0.11	+43	\$202	\$379
13	SCR22T66	-5.8	-9.3	-3.0	+7.4	+60	+99	+141	+135	+17	+0.0	-2.5	+85	+11.9	-4.3	-7.2	+2.1	+2.3	-0.18	+37	\$184	\$311
14	SCR22T90	-1.4	+7.8	-9.3	+4.8	+50	+83	+118	+107	-1	+1.7	-3.8	+76	+8.6	+2.0	+3.2	+0.9	+0.0	+0.07	+28	\$185	\$326
15	SCR22T79	+1.2	+6.3	-6.4	+2.5	+49	+91	+124	+123	+16	+4.2	-6.6	+52	+7.3	+1.5	-0.9	+0.5	+1.4	+0.28	+42	\$187	\$357
16	SCR22T54	-7.1	+2.6	-1.4	+6.6	+58	+92	+128	+132	+5	+4.5	-2.1	+48	+10.1	+1.4	+0.8	+0.9	-0.3	-0.35	+41	\$144	\$280
17	SCR22T70	+2.8	+3.1	-3.3	+5.5	+52	+89	+125	+124	+14	+0.8	-4.4	+68	-0.2	+0.0	+0.6	-0.1	+0.7	-0.61	+28	\$159	\$315
18	SCR22T64	+1.6	-4.5	-2.2	+5.4	+50	+89	+121	+96	+15	+1.3	-5.0	+64	+11.3	-0.7	-1.1	+1.6	+1.9	-0.40	+13	\$223	\$356
19	SCR22T84	+0.2	-7.7	-5.8	+6.7	+58	+100	+137	+130	+20	+0.0	-2.2	+73	+5.8	-3.0	-4.1	+1.0	+2.5	-0.60	+33	\$179	\$317
20	SCR22T89	+3.1	-1.8	-1.5	+5.2	+52	+88	+127	+131	+14	+0.3	-1.9	+66	+5.5	+1.1	-1.1	+0.0	+3.5	-0.41	+31	\$163	\$311
21	SCR22T88	+2.8	-7.9	-1.9	+6.6	+50	+79	+109	+104	+14	+3.4	-4.8	+58	-0.2	+0.4	+0.1	-0.5	+2.8	+0.26	+21	\$153	\$282
22	SCR22T83	+3.7	+6.3	-3.1	+4.0	+55	+92	+113	+104	+11	+4.0	-4.0	+45	+5.5	-0.8	-0.1	-0.1	+1.6	+0.20	+32	\$188	\$342
23	SCR22T24	+5.2	+3.4	-6.8	+2.9	+53	+96	+116	+77	+26	+1.8	-5.6	+66	+7.7	-1.4	-0.1	+0.6	+1.4	-0.23	+46	\$238	\$379
24	SCR22T28	+5.1	+4.8	-4.0	+4.3	+55	+98	+127	+89	+21	+3.7	-5.7	+59	+5.4	-2.0	-2.1	-0.2	+3.6	-0.08	+25	\$233	\$386
25	SCR22T32	+1.7	+3.8	-3.5	+4.9	+51	+93	+132	+97	+19	+1.4	-1.7	+82	+5.3	-2.1	-3.0	+0.0	+2.7	-0.54	+25	\$173	\$302
26	SCR22T48	+5.2	+6.4	+0.7	+2.0	+52	+87	+95	+80	+8	+5.3	-4.8	+47	+6.0	+0.4	+0.9	+0.3	+3.0	+0.40	+22	\$222	\$368
27	SCR22T1	-3.2	+2.0	-0.3	+4.6	+60	+103	+129	+111	+13	+3.7	-3.6	+68	+7.5	-1.9	-1.8	+0.6	+2.3	+0.24	+24	\$206	\$348
28	SCR22T72	+1.8	+8.0	-4.7	+3.5	+55	+88	+113	+119	+7	+4.0	-4.1	+44	+9.5	+2.0	+0.8	+0.6	+0.7	+0.05	+45	\$186	\$347
29	SCR22T100	+3.3	-6.7	+0.2	+6.1	+51	+91	+133	+114	+27	+1.6	-5.4	+69	+8.7	+1.4	+1.5	+0.6	+1.1	+0.11	+15	\$198	\$344
30	SCR22T101	-3.7	-9.9	-0.1	+6.3	+50	+88	+131	+100	+24	-0.1	-1.7	+80	+11.5	-1.7	-2.4	+1.3	+1.2	-0.16	+36	\$163	\$265
31	SCR22T96	-9.2	+3.6	-4.8	+6.3	+48	+81	+131	+125	+12	+3.2	-3.1	+68	+12.5	+1.1	-1.3	+1.5	+2.7	+0.24	+32	\$162	\$288
32	SCR22T94	+0.4	+5.9	-8.5	+4.7	+55	+96	+124	+105	+11	+4.8	-5.3	+68	+6.7	+0.0	-0.5	+0.0	+2.3	+0.08	+29	\$206	\$361
33	SCR22T112	+2.6	+3.4	-3.8	+3.9	+49	+94	+124	+110	+14	+2.4	-6.5	+72	+2.3	+2.3	+5.4	-0.9	+3.2	-0.32	+14	\$215	\$380
34	SCR22T110	-1.0	+5.3	+3.7	+5.5	+56	+94	+125	+102	+19	+2.7	-2.7	+62	+7.6	-1.4	-1.1	+1.0	+1.9	+0.55	+24	\$191	\$327
35	SCR22T103	-4.0	+1.4	-1.3	+5.5	+56	+91	+120	+108	+14	+2.7	-4.5	+70	+3.7	-1.6	-1.6	+0.6	+0.9	-0.45	+33	\$172	\$304
36	SCR22T114	+0.8	-0.1	-3.5	+4.8	+58	+93	+117	+112	+11	+3.9	-4.5	+49	+3.8	-0.2	-0.7	+0.3	+2.0	+0.16	+23	\$192	\$339



Reference Sires

Reference Sire **BROOKLANA EMPEROR Q23 PV** **AMQQ23**

Date of Birth: 10/06/2019 Register: HBR Mating Type: ET AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-1.9	-5.6	-2.4	+6.6	+57	+93	+133	+116	+20	+1.1	-2.2
Acc	71%	60%	82%	89%	88%	88%	88%	83%	75%	86%	50%
Perc	82	97	80	94	22	45	20	26	27	85	92
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+66	+9.3	-2.0	-3.3	+0.8	+2.6	-0.44	+26	+0.46	+0.80	+1.02
Acc	79%	76%	76%	77%	69%	79%	68%	76%	65%	66%	63%
Perc	54	20	88	92	29	40	4	27	2	13	46

TE MANIA EMPEROR E343 PV
SIRE: AMQL29 BROOKLANA EMPEROR L29 PV
 BROOKLANA DREAM H24 PV
 COONAMBLE HECTOR H249 SV
DAM: NMMM4 MILLAH MURRAH PRUE M4 SV
 MILLAH MURRAH PRUE F141 PV

Statistics: Number of Herds: 1, Prog Analysed: 28, Genomic Prog: 25
 Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

Selection Indexes

\$A	\$A-L
\$180	76
\$305	81

Reference Sire **CLUNIE RANGE PALM TREE P511 PV** **NBHP511**

Date of Birth: 11/08/2018 Register: HBR Mating Type: ET AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+0.7	+8.2	-1.9	+3.6	+61	+99	+124	+111	+10	+5.8	-4.4
Acc	75%	63%	84%	94%	92%	91%	92%	86%	78%	90%	53%
Perc	66	6	85	41	11	29	38	33	92	1	55
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+49	+4.6	-0.8	-1.8	+0.0	+2.4	+0.06	+25	+0.68	+0.76	+0.84
Acc	80%	78%	78%	79%	73%	80%	67%	77%	70%	70%	68%
Perc	92	73	67	76	77	45	32	31	18	9	6

G A R PROPHET SV
SIRE: USA17960722 BALDRIDGE BEAST MODE B074 PV
 BALDRIDGE ISABEL Y69 #
 CLUNIE RANGE HURRICANE H555 PV
DAM: NBHL450 CLUNIE RANGE BARUNAH L450 PV
 CLUNIE RANGE BARUNAH J327 SV

Statistics: Number of Herds: 2, Prog Analysed: 122, Genomic Prog: 99
 Traits Observed: BWT, 200WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

Selection Indexes

\$A	\$A-L
\$203	52
\$363	40

Reference Sire **KOUPALS B&B IDENTITY SV** **USA16710463**

Date of Birth: 01/01/2010 Register: HBR Mating Type: Natural AMFU,CAFU,DDF,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-2.8	+0.9	-5.9	+3.5	+52	+95	+118	+72	+24	+1.4	-4.9
Acc	91%	79%	97%	98%	97%	97%	97%	96%	96%	96%	70%
Perc	86	72	27	39	43	41	51	89	9	76	43
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+84	+7.7	-1.9	-0.8	+0.2	+1.1	-0.22	+9	+0.96	+0.86	+0.98
Acc	93%	92%	92%	92%	89%	92%	79%	95%	96%	95%	90%
Perc	10	35	87	58	66	80	10	89	72	23	33

CONNEALY ONWARD #
SIRE: USA14963730 SITZ UPWARD 307R SV
 SITZ HENRIETTA PRIDE 81M #
 G A R EXALTATION 3144 #
DAM: USA15462235 B&B ERICA 605 #
 B&B ERICA 4064 #

Statistics: Number of Herds: 28, Prog Analysed: 500, Genomic Prog: 286
 Traits Observed: Genomics

Selection Indexes

\$A	\$A-L
\$203	52
\$317	75

Reference Sire **MANDAYEN HECTOR P417 DV** **MANP417**

Date of Birth: 26/05/2018 Register: HBR Mating Type: AI AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-7.8	-2.1	-7.0	+5.3	+58	+99	+143	+137	+8	+3.3	-4.4
Acc	74%	62%	88%	93%	91%	91%	90%	84%	77%	89%	52%
Perc	97	90	15	79	19	29	9	8	98	15	55
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+82	+5.6	+1.7	+1.4	-0.5	+3.7	-0.50	+41	+0.52	+0.70	+0.96
Acc	79%	77%	78%	78%	72%	80%	67%	86%	75%	78%	72%
Perc	13	61	15	21	93	18	3	3	4	4	27

K C F BENNETT PERFORMER #
SIRE: WDCH249 COONAMBLE HECTOR H249 SV
 COONAMBLE E9 PV
 MILLAH MURRAH EMPEROR H125 SV
DAM: MANM401 MANDAYEN BRENDA M401 SV
 MILLAH MURRAH BRENDA J1 SV

Statistics: Number of Herds: 4, Prog Analysed: 79, Genomic Prog: 64
 Traits Observed: GL, BWT, 400WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

Selection Indexes

\$A	\$A-L
\$181	75
\$328	68

Reference Sires

Reference Sire **MILLAH MURRAH PARATROOPER P15 ^{PV}** **NMMP15**

Date of Birth: 29/01/2018 Register: HBR Mating Type: AI AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+6.3	+5.7	-8.8	+3.1	+65	+115	+141	+118	+17	+2.9	-3.7
Acc	91%	79%	99%	99%	99%	99%	98%	95%	92%	98%	59%
Perc	17	23	4	30	4	4	11	23	51	24	72
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+90	+7.1	-0.8	-1.9	+0.5	+2.2	+0.18	+20	+0.88	+0.80	+1.06
Acc	90%	89%	90%	90%	85%	88%	74%	99%	98%	98%	97%
Perc	5	42	67	77	47	51	46	53	57	13	59

EF COMPLEMENT 8088 ^{PV}
SIRE: USA17082311 EF COMMANDO 1366 ^{PV}
 RIVERBEND YOUNG LUCY W1470 #

MILLAH MURRAH HIGHLANDER G18 ^{SV}
DAM: NMMM9 MILLAH MURRAH ELA M9 ^{PV}
 MILLAH MURRAH ELA K127 ^{SV}

Statistics: Number of Herds: 282, Prog Analysed: 5411, Genomic Prog: 3697

Selection Indexes

\$A	\$A-L
\$245	\$422
11	6

Traits Observed: GL, BWT, 200WT(x2), 400WT(x2), Scan(EMA, Rib, Rump, IMF), DOC, Genomics

Reference Sire **MILLAH MURRAH QUIXOTE Q96 ^{PV}** **NMMQ96**

Date of Birth: 08/03/2019 Register: HBR Mating Type: AI AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+1.9	+8.7	-3.5	+3.4	+58	+91	+116	+77	+25	+3.7	-6.9
Acc	83%	64%	98%	98%	98%	98%	96%	88%	79%	97%	52%
Perc	56	4	65	37	19	52	56	84	5	9	9
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+75	+10.0	-0.6	-2.8	+1.0	+2.7	+0.82	+10	+0.82	+1.02	+1.06
Acc	82%	85%	84%	84%	78%	84%	67%	97%	91%	90%	87%
Perc	27	15	63	88	19	38	95	89	44	61	59

S CHISUM 6175 ^{PV}
SIRE: USA17298481 S CHISUM 255 ^{SV}
 S BLOSSOM 0278 #

MILLAH MURRAH KLOONEY K42 ^{PV}
DAM: NMMN8 MILLAH MURRAH BRENDA N8 ^{PV}
 MILLAH MURRAH BRENDA L73 ^{PV}

Statistics: Number of Herds: 99, Prog Analysed: 1238, Genomic Prog: 792

Selection Indexes

\$A	\$A-L
\$263	\$405
4	12

Traits Observed: GL, BWT, 200WT, 400WT, SC, Scan(EMA, Rib, Rump, IMF), DOC, Genomics

Reference Sire **SYDGEN ENHANCE ^{SV}** **USA18170041**

Date of Birth: 27/01/2015 Register: HBR Mating Type: Natural AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+5.0	+2.0	-3.2	+3.1	+58	+105	+139	+105	+19	+2.8	-3.1
Acc	96%	88%	99%	99%	99%	99%	99%	98%	97%	99%	68%
Perc	27	62	70	30	17	14	13	43	34	26	83
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+73	+8.1	-2.3	-0.9	+0.0	+3.2	-0.60	+41	+0.80	+1.14	+1.02
Acc	95%	93%	94%	94%	91%	93%	81%	99%	99%	99%	98%
Perc	33	31	92	60	77	27	2	3	39	84	46

SYDGEN GOOGOL #
SIRE: USA17501893 SYDGEN EXCEED 3223 ^{PV}
 SYDGEN FOREVER LADY 1255 #

SYDGEN LIBERTY GA 8627 #
DAM: USA17405676 SYDGEN RITA 2618 #
 FOX RUN RITA 9308 #

Statistics: Number of Herds: 144, Prog Analysed: 3481, Genomic Prog: 2171

Selection Indexes

\$A	\$A-L
\$226	\$381
26	26

Traits Observed: Genomics

2024 ROSELEIGH ANGUS BULL SALE

Lot 1 ROSELEIGH T29^{PV} SCR22T29

Date of Birth: 14/05/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+2.1	-0.9	-2.4	+3.9	+58	+109	+141	+122	+22	+2.7	-3.5
Acc	70%	62%	83%	82%	83%	82%	82%	79%	76%	80%	45%
Perc	54	84	80	48	19	9	11	19	13	29	76
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+70	+6.8	-0.7	+1.3	-0.2	+2.8	-0.55	+29	+0.86	+0.92	+0.98
Acc	71%	71%	71%	72%	64%	75%	63%	77%	67%	67%	64%
Perc	42	46	65	22	85	35	2	19	53	36	33

SYDGEN EXCEED 3223^{PV}
SIRE: USA18170041 SYDGEN ENHANCE^{SV}
 SYDGEN RITA 2618 #
 RAVENSWOOD MONARCH M232^{PV}
DAM: SCRR36 ROSELEIGH R36^{SV}
 ROSELEIGH D23 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$213	41
\$374	31

Lot 2 ROSELEIGH T52^{SV} SCR22T52

Date of Birth: 24/05/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+7.2	+7.3	-3.9	-1.2	+38	+68	+95	+65	+19	+2.7	-3.7
Acc	64%	52%	81%	81%	82%	80%	81%	77%	73%	79%	40%
Perc	11	10	59	1	94	97	91	93	30	29	72
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+49	+8.8	+3.6	+3.6	+0.0	+3.5	+0.71	+23	+0.76	+1.00	+0.98
Acc	69%	68%	68%	69%	60%	72%	58%	72%	63%	63%	59%
Perc	91	24	3	5	77	21	91	39	31	56	33

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 FLAG CROSS COUNTRY 90052 #
DAM: SCRJ43 ROSELEIGH J43 #
 ROSELEIGH F5 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rump, IMF), Genomics

\$A	\$A-L
\$197	59
\$326	70

Lot 3 ROSELEIGH T27^{PV} SCR22T27

Date of Birth: 13/05/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+4.6	+10.0	-5.0	+4.1	+59	+97	+124	+126	+10	+2.3	-1.6
Acc	64%	54%	81%	81%	82%	80%	81%	77%	73%	78%	42%
Perc	30	1	40	53	16	35	39	15	92	43	96
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+56	+4.8	-0.8	-1.7	+0.5	+0.7	-0.39	+37	+0.64	+0.84	+0.86
Acc	69%	68%	68%	69%	60%	73%	60%	73%	64%	64%	61%
Perc	81	70	67	74	47	88	5	6	12	19	8

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 RENNYLEA H7^{PV}
DAM: SCRL15 ROSELEIGH L15^{SV}
 ROSELEIGH J8 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$172	81
\$337	62

Lot 4 ROSELEIGH T20^{PV} SCR22T20

Date of Birth: 12/05/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-1.3	+3.3	-4.7	+5.5	+63	+117	+153	+151	+17	+3.3	-3.7
Acc	70%	60%	83%	82%	83%	82%	82%	79%	75%	80%	43%
Perc	79	48	45	82	6	3	3	3	52	15	72
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+94	+8.0	+1.2	+1.5	+0.4	+0.7	+0.10	+27	+0.78	+0.80	+0.86
Acc	71%	71%	71%	71%	63%	75%	62%	78%	70%	70%	67%
Perc	3	32	22	20	53	88	36	24	35	13	8

EF COMMANDO 1366^{PV}
SIRE: NMMP15 MILLAH MURRAH PARATROOPER P15^{PV}
 MILLAH MURRAH ELA M9^{PV}
 MUSGRAVE 316 STUNNER^{PV}
DAM: SCRQ12 ROSELEIGH Q12^{SV}
 ROSELEIGH N14^{SV}

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$204	51
\$386	22

Lot 5 **ROSELEIGH T21^{PV}** **SCR22T21**

Date of Birth: 12/05/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-2.7	+0.2	-4.6	+5.6	+64	+119	+168	+152	+14	+1.1	-1.4
Acc	71%	63%	83%	83%	84%	82%	82%	80%	76%	80%	46%
Perc	85	78	47	83	5	3	1	3	77	85	96
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+95	+1.3	-2.1	-0.3	-0.1	+1.2	-0.99	+44	+0.84	+0.90	+0.92
Acc	72%	71%	71%	72%	64%	75%	63%	78%	67%	67%	64%
Perc	3	95	90	49	81	78	1	1	48	31	17

SYDGEN EXCEED 3223^{PV}
SIRE: USA18170041 SYDGEN ENHANCE^{SV}
 SYDGEN RITA 2618 #
 RAVENSWOOD MONARCH M232^{PV}
DAM: SCR33 ROSELEIGH R33^{SV}
 ROSELEIGH F13 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$173	\$337
81	62

Lot 6 **ROSELEIGH TYLER T19^{PV}** **SCR22T19**

Date of Birth: 12/05/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+3.3	+4.0	-5.3	+4.8	+58	+91	+112	+78	+18	+1.1	-6.2
Acc	66%	52%	82%	82%	82%	81%	81%	77%	72%	79%	39%
Perc	43	41	36	69	17	53	66	84	39	85	17
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+77	+6.8	-0.1	-1.2	+1.1	+1.5	-0.03	+8	+0.88	+0.90	+1.06
Acc	68%	69%	68%	69%	60%	73%	59%	76%	67%	67%	64%
Perc	24	46	50	66	15	70	23	92	57	31	59

S CHISUM 255^{SV}
SIRE: NMMQ96 MILLAH MURRAH QUIXOTE Q96^{PV}
 MILLAH MURRAH BRENDA N8^{PV}
 KANSAS DATALINK L25^{SV}
DAM: SCR39 ROSELEIGH NARREN N39^{SV}
 ROSELEIGH SARAH L62^{SV}

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$253	\$389
7	20

Lot 7 **ROSELEIGH T7^{PV}** **SCR22T7**

Date of Birth: 07/05/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+2.8	+5.2	-3.3	+1.9	+40	+72	+89	+56	+19	+2.0	-4.8
Acc	68%	58%	82%	82%	83%	81%	81%	78%	75%	79%	46%
Perc	47	28	68	12	91	94	95	97	33	54	45
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+58	+8.2	+4.1	+5.5	-0.1	+0.7	+0.02	+10	+0.68	+0.98	+0.88
Acc	71%	70%	70%	71%	63%	74%	61%	76%	71%	71%	66%
Perc	77	30	2	1	81	88	28	87	18	51	10

SITZ UPWARD 307R^{SV}
SIRE: USA16710463 KROUPALS B&B IDENTITY^{SV}
 B&B ERICA 605 #
 MUSGRAVE 316 STUNNER^{PV}
DAM: SCRQ15 ROSELEIGH Q15^{SV}
 ROSELEIGH J8 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$188	\$302
69	83

Lot 8 **ROSELEIGH TRIUMPH T59^{SV}** **SCR22T59**

Date of Birth: 31/05/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-5.2	+6.0	+1.1	+5.7	+52	+87	+110	+97	+11	+3.2	-3.0
Acc	64%	53%	80%	81%	82%	80%	80%	76%	72%	78%	43%
Perc	93	20	99	85	41	64	70	57	90	17	84
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+51	+4.9	+2.1	+2.3	-0.3	+2.8	+0.38	+12	+0.90	+0.78	+0.82
Acc	69%	68%	68%	69%	60%	72%	59%	72%	64%	64%	61%
Perc	89	69	11	12	88	35	68	83	61	11	4

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 R/M ULTRA CASH FLOW 102 #
DAM: SCR65 ROSELEIGH SARAH F65 #
 ROSELEIGH SARAH S9 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rump, IMF), Genomics

\$A	\$A-L
\$171	\$293
82	86

2024 ROSELEIGH ANGUS BULL SALE

Lot 9 ROSELEIGH T45 PV SCR22T45

Date of Birth: 19/05/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+6.1	+4.0	-2.2	+2.2	+55	+98	+133	+86	+25	+3.0	-5.3
Acc	71%	63%	83%	82%	83%	82%	82%	80%	76%	80%	46%
Perc	18	41	83	15	29	32	20	74	5	21	33
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+83	+2.6	+1.2	+3.9	-1.0	+2.6	-0.29	+28	+0.76	+1.12	+1.06
Acc	72%	71%	71%	72%	65%	75%	63%	78%	70%	70%	67%
Perc	12	89	22	4	98	40	7	20	31	81	59

SYDGEN EXCEED 3223 PV
SIRE: USA18170041 SYDGEN ENHANCE SV
 SYDGEN RITA 2618 #
 KROUPALS B&B IDENTITY SV
DAM: SCRR8 ROSELEIGH R8 SV
 ROSELEIGH H103 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$232	20
\$384	23

Lot 10 ROSELEIGH T43 PV SCR22T43

Date of Birth: 18/05/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-3.5	-14.0	-2.7	+6.4	+59	+107	+144	+121	+16	+2.0	-3.2
Acc	71%	63%	83%	82%	83%	82%	82%	80%	76%	80%	46%
Perc	88	99	77	92	15	12	8	20	56	54	82
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+80	+10.1	-2.8	-2.0	+0.6	+2.4	-0.62	+48	+0.90	+1.04	+1.00
Acc	72%	72%	71%	72%	65%	75%	64%	78%	70%	70%	67%
Perc	17	14	95	78	41	45	1	1	61	66	39

SYDGEN EXCEED 3223 PV
SIRE: USA18170041 SYDGEN ENHANCE SV
 SYDGEN RITA 2618 #
 KROUPALS B&B IDENTITY SV
DAM: SCRR34 ROSELEIGH R34 SV
 ROSELEIGH N37 SV

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$192	64
\$322	72

Lot 11 ROSELEIGH T33 PV SCR22T33

Date of Birth: 15/05/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+3.0	+6.3	-6.2	+3.3	+45	+87	+112	+68	+23	+1.8	-4.1
Acc	67%	57%	82%	82%	83%	81%	82%	78%	75%	79%	45%
Perc	45	17	23	34	77	66	66	91	11	62	63
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+75	+8.7	+0.1	+1.5	+0.8	+1.0	-0.17	+22	+0.64	+0.82	+0.98
Acc	71%	71%	71%	71%	64%	75%	62%	76%	68%	68%	65%
Perc	29	25	46	20	29	82	13	44	12	16	33

SITZ UPWARD 307R SV
SIRE: USA16710463 KROUPALS B&B IDENTITY SV
 B&B ERICA 605 #
 MANDAYEN COMPLEMENT L464 PV
DAM: SCRR113 ROSELEIGH Q113 SV
 ROSELEIGH K68 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, IMF), Genomics

\$A	\$A-L
\$213	40
\$339	60

Lot 12 ROSELEIGH TROY T12 SV SCR22T12

Date of Birth: 09/05/2022 Register: HBR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+6.5	+7.1	-7.4	+1.8	+52	+105	+143	+116	+18	+1.9	-5.3
Acc	70%	63%	82%	81%	82%	81%	81%	78%	75%	79%	46%
Perc	15	12	12	11	41	15	9	26	42	58	33
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+86	+2.9	-1.5	-1.4	+0.2	+0.7	-0.11	+43	+0.60	+0.90	+0.94
Acc	70%	70%	70%	71%	64%	74%	62%	77%	71%	71%	69%
Perc	8	88	81	69	66	88	17	2	9	31	21

SYDGEN EXCEED 3223 PV
SIRE: USA18170041 SYDGEN ENHANCE SV
 SYDGEN RITA 2618 #
 LANDFALL KEYSTONE K132 PV
DAM: SCRR7 ROSELEIGH RAI R7 #
 ROSELEIGH PRIDE P5 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rump, IMF), Genomics

\$A	\$A-L
\$202	54
\$379	27

Lot 13 ROSELEIGH TARANTULA T66^{SV} SCR22T66

Date of Birth: 06/06/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-5.8	-9.3	-3.0	+7.4	+60	+99	+141	+135	+17	+0.0	-2.5
Acc	62%	51%	80%	80%	81%	79%	80%	76%	71%	77%	38%
Perc	94	99	73	98	13	29	11	9	49	98	90
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+85	+11.9	-4.3	-7.2	+2.1	+2.3	-0.18	+37	+0.70	+0.96	+1.14
Acc	68%	67%	67%	68%	58%	73%	59%	72%	61%	61%	59%
Perc	9	6	99	99	1	48	12	5	21	46	81

BROOKLANA EMPEROR L29^{PV}
SIRE: AMQQ23 BROOKLANA EMPEROR Q23^{PV}
 MILLAH MURRAH PRUE M4^{SV}
 MANDAYEN COMPLEMENT L464^{PV}
DAM: SCR111 ROSELEIGH PANSY P111 #
 ROSELEIGH FOXY LOXY F48 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$184	73
\$311	78

Lot 14 ROSELEIGH T90^{SV} SCR22T90

Date of Birth: 27/06/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-1.4	+7.8	-9.3	+4.8	+50	+83	+118	+107	-1	+1.7	-3.8
Acc	63%	52%	81%	82%	82%	81%	81%	77%	73%	78%	40%
Perc	79	8	3	69	54	76	53	39	99	66	70
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+76	+8.6	+2.0	+3.2	+0.9	+0.0	+0.07	+28	+0.46	+0.72	+0.88
Acc	70%	69%	69%	70%	61%	74%	60%	74%	61%	61%	59%
Perc	26	26	12	6	24	96	33	20	2	5	10

COONAMBLE HECTOR H249^{SV}
SIRE: MANP417 MANDAYEN HECTOR P417^{DV}
 MANDAYEN BRENDA M401^{SV}
 CLUDEN NEWRY FRASER F17^{SV}
DAM: SCR149 ROSELEIGH K49 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$185	72
\$326	69

Lot 15 ROSELEIGH T79^{SV} SCR22T79

Date of Birth: 13/06/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+1.2	+6.3	-6.4	+2.5	+49	+91	+124	+123	+16	+4.2	-6.6
Acc	62%	52%	80%	81%	82%	80%	80%	76%	71%	77%	39%
Perc	62	17	21	20	58	53	39	18	62	5	12
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+52	+7.3	+1.5	-0.9	+0.5	+1.4	+0.28	+42	+0.84	+1.00	+0.88
Acc	68%	67%	67%	68%	59%	72%	58%	72%	64%	64%	61%
Perc	89	40	18	60	47	73	57	2	48	56	10

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 MANDAYEN COMPLEMENT L464^{PV}
DAM: SCR180 ROSELEIGH P80 #
 ROSELEIGH J48 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$187	69
\$357	45

Lot 16 ROSELEIGH THEO T54^{SV} SCR22T54

Date of Birth: 27/05/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-7.1	+2.6	-1.4	+6.6	+58	+92	+128	+132	+5	+4.5	-2.1
Acc	63%	51%	80%	81%	82%	80%	80%	76%	71%	78%	40%
Perc	96	56	90	94	17	48	29	11	99	3	93
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+48	+10.1	+1.4	+0.8	+0.9	-0.3	-0.35	+41	+0.72	+0.80	+0.78
Acc	68%	67%	67%	68%	59%	72%	58%	71%	61%	61%	57%
Perc	93	14	19	30	24	98	5	3	24	13	2

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 NAMPARA E40^{SV}
DAM: SCR126 ROSELEIGH JUDE J26 #
 COMFORT HILL JEDDA X221 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$144	94
\$280	90

2024 ROSELEIGH ANGUS BULL SALE

Lot 17 ROSELEIGH T70 ^{SV} SCR22T70

Date of Birth: 07/06/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+2.8	+3.1	-3.3	+5.5	+52	+89	+125	+124	+14	+0.8	-4.4
Acc	62%	51%	81%	81%	82%	80%	80%	76%	71%	77%	39%
Perc	47	51	68	82	45	59	35	17	71	91	55
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+68	-0.2	+0.0	+0.6	-0.1	+0.7	-0.61	+28	+0.74	+0.92	+1.00
Acc	69%	68%	68%	69%	59%	73%	60%	72%	59%	59%	56%
Perc	49	98	48	33	81	88	2	20	27	36	39

BROOKLANA EMPEROR L29 ^{PV}
SIRE: AMQQ23 BROOKLANA EMPEROR Q23 ^{PV}
 MILLAH MURRAH PRUE M4 ^{SV}
 KANSAS DATALINK L25 ^{SV}
DAM: SCR59 ROSELEIGH N59 #
 ROSELEIGH BRUNETTE B68 #

Notes:

Selection Indexes

\$A		\$A-L	
\$159	89	\$315	76

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, IMF), Genomics

Purchaser:
 \$

Lot 18 ROSELEIGH TIGER T64 ^{SV} SCR22T64

Date of Birth: 05/06/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+1.6	-4.5	-2.2	+5.4	+50	+89	+121	+96	+15	+1.3	-5.0
Acc	63%	52%	81%	81%	82%	80%	80%	76%	72%	78%	39%
Perc	58	96	83	80	52	57	44	59	65	79	40
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+64	+11.3	-0.7	-1.1	+1.6	+1.9	-0.40	+13	+0.78	+1.08	+1.02
Acc	69%	68%	68%	69%	59%	73%	60%	73%	59%	59%	56%
Perc	61	8	65	64	4	59	4	79	35	74	46

BROOKLANA EMPEROR L29 ^{PV}
SIRE: AMQQ23 BROOKLANA EMPEROR Q23 ^{PV}
 MILLAH MURRAH PRUE M4 ^{SV}
 MANDAYEN COMPLEMENT L464 ^{PV}
DAM: SCR110 ROSELEIGH PANSY P110 #
 ROSELEIGH FOXY LOXY F48 #

Notes:

Selection Indexes

\$A		\$A-L	
\$223	29	\$356	46

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

Purchaser:
 \$

Lot 19 ROSELEIGH TONKA T84 ^{SV} SCR22T84

Date of Birth: 15/06/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+0.2	-7.7	-5.8	+6.7	+58	+100	+137	+130	+20	+0.0	-2.2
Acc	63%	52%	81%	81%	82%	80%	80%	76%	72%	77%	40%
Perc	69	99	28	94	19	27	15	12	24	98	92
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+73	+5.8	-3.0	-4.1	+1.0	+2.5	-0.60	+33	+0.62	+0.78	+0.94
Acc	69%	68%	68%	69%	59%	73%	60%	72%	61%	61%	59%
Perc	34	58	96	96	19	43	2	11	10	11	21

BROOKLANA EMPEROR L29 ^{PV}
SIRE: AMQQ23 BROOKLANA EMPEROR Q23 ^{PV}
 MILLAH MURRAH PRUE M4 ^{SV}
 HF TIGER 5T #
DAM: SCR110 ROSELEIGH PANSY P110 #
 ROSELEIGH ELEGANT E43 #

Notes:

Selection Indexes

\$A		\$A-L	
\$179	76	\$317	75

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

Purchaser:
 \$

Lot 20 ROSELEIGH TEXAN T89 ^{SV} SCR22T89

Date of Birth: 23/06/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDF,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+3.1	-1.8	-1.5	+5.2	+52	+88	+127	+131	+14	+0.3	-1.9
Acc	62%	52%	81%	81%	82%	80%	80%	76%	72%	77%	40%
Perc	44	89	89	77	41	61	31	12	73	96	94
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+66	+5.5	+1.1	-1.1	+0.0	+3.5	-0.41	+31	+0.64	+0.98	+0.88
Acc	69%	68%	68%	69%	59%	73%	60%	72%	60%	60%	57%
Perc	54	62	24	64	77	21	4	15	12	51	10

BROOKLANA EMPEROR L29 ^{PV}
SIRE: AMQQ23 BROOKLANA EMPEROR Q23 ^{PV}
 MILLAH MURRAH PRUE M4 ^{SV}
 CHARLESTON ANGUS COMMANDER C1 ^{PV}
DAM: SCR110 ROSELEIGH PANSY P110 #
 ROSELEIGH AFRICA A90 #

Notes:

Selection Indexes

\$A		\$A-L	
\$163	87	\$311	78

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

Purchaser:
 \$

Lot 21 ROSELEIGH T88^{SV} SCR22T88

Date of Birth: 16/06/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+2.8	-7.9	-1.9	+6.6	+50	+79	+109	+104	+14	+3.4	-4.8
Acc	62%	52%	81%	81%	82%	80%	80%	76%	72%	77%	40%
Perc	47	99	85	94	54	85	71	44	73	13	45
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+58	-0.2	+0.4	+0.1	-0.5	+2.8	+0.26	+21	+0.70	+1.06	+1.08
Acc	69%	68%	68%	69%	59%	73%	60%	72%	59%	59%	56%
Perc	77	98	39	42	93	35	55	48	21	70	65

BROOKLANA EMPEROR L29^{PV}
SIRE: AMQQ23 BROOKLANA EMPEROR Q23^{PV}
 MILLAH MURRAH PRUE M4^{SV}
 CHARLESTON ANGUS COMMANDER C1^{PV}
DAM: SCORE76 ROSELEIGH E76 #
 ROSELEIGH B19 #

Notes:

Purchaser:

\$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A		\$A-L	
\$153	91	\$282	90

Lot 22 ROSELEIGH TIMMY T83^{SV} SCR22T83

Date of Birth: 15/06/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+3.7	+6.3	-3.1	+4.0	+55	+92	+113	+104	+11	+4.0	-4.0
Acc	63%	52%	81%	81%	82%	80%	81%	76%	72%	78%	40%
Perc	39	17	71	51	29	49	63	45	89	6	65
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+45	+5.5	-0.8	-0.1	-0.1	+1.6	+0.20	+32	+0.88	+0.76	+0.96
Acc	69%	68%	68%	69%	59%	72%	59%	72%	61%	61%	57%
Perc	95	62	67	45	81	67	48	13	57	9	27

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 ROSELEIGH GORBACHEV G96^{SV}
DAM: SCRL48 ROSELEIGH LEXUS L48 #
 ROSELEIGH DANDELION #

Notes:

Purchaser:

\$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A		\$A-L	
\$188	68	\$342	58

LOCATIONS

- Naracoorte**
(08) 8765 7777
- Bordertown**
(08) 8752 8888
- Murray Bridge**
(08) 8535 5999

VISITING

- Coonalpyn
- Kaniva
- Keith
- Kingston
- Lameroo
- Mannum
- Millicent
- Nhill
- Penola
- Robe
- Tintinara

Farm Accounting

with no bull.





Lot 1: SCR22T29 ROSELEIGH T29. Sire: Sydgen Enhance



Lot 2: SCR22T52 ROSELEIGH T52. Sire: Clunie Range Palm Tree P511



Lot 4: SCR22T20 ROSELEIGH T20. Sire: Millah Murrah Paratrooper P15



Lot 5: SCR22T21 ROSELEIGH T21. Sire: Sydgen Enhance



Lot 6: SCR22T19 ROSELEIGH TYLER T19. Sire: Millah Murrah Quixote Q96



Lot 7: SCR22T7 ROSELEIGH T7. Sire: Koupals B&B Identity



Lot 13: SCR22T66 ROSELEIGH TARANTULA T66. Sire: Brooklana Emperor Q23



Lot 14: SCR22T90 ROSELEIGH T90. Sire: Mandayen Hector P417

2024 ROSELEIGH ANGUS BULL SALE



Lot 15: SCR22T79 ROSELEIGH T79. Sire: Clunie Range Palm Tree P511



Lot 21: SCR22T88 ROSELEIGH T88. Sire: Brooklana Emperor Q23



Lot 28: SCR22T72 ROSELEIGH T72. Sire: Clunie Range Palm Tree P511



Lot 32: SCR22T94 ROSELEIGH TASMAN T94. Sire: Mandayen Hector P417



Roseleigh T Heifers, December 2023



Keep your stud stock safe and sound

As specialists in rural insurance, the team at Elders Insurance can help you find the right cover to protect your stud stock if the unexpected happens.

Contact your local agent Daniel Menzel for a quote.
0429 150 719 or 8755 0100  Elders Insurance Keith

Daniel Menzel Pty Ltd The Trustee for DJ Menzel Family Trust ABN 99369432063 trading as Elders Insurance Bordertown AR No. 469138 is an Authorised Representative of Elders Insurance (Underwriting Agency) Pty Limited ABN 56 138 879 026, AFSL 340965. Insurance is underwritten by QBE Insurance (Australia) Limited ABN 78 003 191 035 AFSL 239545. Contact us for a Product Disclosure Statement to decide if a product is right for you.



Insurance

2024 ROSELEIGH ANGUS BULL SALE

Lot 23 ROSELEIGH T24^{PV} SCR22T24

Date of Birth: 12/05/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

FACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+5.2	+3.4	-6.8	+2.9	+53	+96	+116	+77	+26	+1.8	-5.6
Acc	70%	63%	83%	82%	83%	82%	82%	79%	76%	80%	46%
Perc	25	47	17	26	37	38	55	85	4	62	27

FACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+66	+7.7	-1.4	-0.1	+0.6	+1.4	-0.23	+46	+0.54	+0.80	+0.90
Acc	71%	71%	71%	71%	64%	75%	63%	78%	71%	71%	68%
Perc	55	35	80	45	41	73	10	1	5	13	13

SYDGEN EXCEED 3223^{PV}
SIRE: USA18170041 SYDGEN ENHANCE^{SV}
 SYDGEN RITA 2618 #
 KOUPALS B&B IDENTITY^{SV}
DAM: SCRR23 ROSELEIGH R23^{SV}
 ROSELEIGH L15^{SV}

Notes:

Purchaser:

\$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A		\$A-L	
\$238	15	\$379	27

Lot 24 ROSELEIGH TROOPER T28^{PV} SCR22T28

Date of Birth: 14/05/2022 Register: HBR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

FACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+5.1	+4.8	-4.0	+4.3	+55	+98	+127	+89	+21	+3.7	-5.7
Acc	69%	61%	82%	82%	83%	81%	81%	79%	75%	79%	44%
Perc	26	32	57	58	29	31	31	70	21	9	25

FACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+59	+5.4	-2.0	-2.1	-0.2	+3.6	-0.08	+25	+0.84	+1.10	+0.76
Acc	71%	70%	70%	71%	63%	74%	62%	77%	69%	69%	67%
Perc	74	63	88	80	85	20	19	33	48	78	2

SYDGEN EXCEED 3223^{PV}
SIRE: USA18170041 SYDGEN ENHANCE^{SV}
 SYDGEN RITA 2618 #
 PATHFINDER GALILEO N152^{SV}
DAM: SCRR39 ROSELEIGH RAINEE R39^{SV}
 ROSELEIGH MELODY M21 #

Notes:

Purchaser:

\$

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A		\$A-L	
\$233	19	\$386	22



Artificial Breeding
Bull fertility tests
Semen collection
From 1 to 1000 no job too big or small

Contact: Drew Pickford
 M: 0428 925 255 | E: drew@nationwideab.com.au
 Nationwide Artificial Breeders Pty. Ltd.



Lot 25 ROSELEIGH TYSON T32^{PV} SCR22T32

Date of Birth: 15/05/2022 Register: HBR Mating Type: AI AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+1.7	+3.8	-3.5	+4.9	+51	+93	+132	+97	+19	+1.4	-1.7
Acc	70%	62%	82%	82%	83%	81%	82%	79%	76%	80%	46%
Perc	57	43	65	71	50	47	22	57	36	76	95
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+82	+5.3	-2.1	-3.0	+0.0	+2.7	-0.54	+25	+0.66	+1.12	+1.08
Acc	71%	71%	71%	72%	65%	75%	63%	77%	71%	71%	68%
Perc	14	65	90	89	77	38	2	32	15	81	65

SYDGEN EXCEED 3223^{PV}
SIRE: USA18170041 SYDGEN ENHANCE^{SV}
 SYDGEN RITA 2618 #
 KOUPALS B&B IDENTITY^{SV}
DAM: ASHR49 PREMIER TARIKU R49^{PV}
 KANSAS TARIKU G299^{PV}

Notes:

Selection Indexes

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A		\$A-L	
\$173	81	\$302	83

Purchaser:

\$

Lot 26 ROSELEIGH TALON T48^{SV} SCR22T48

Date of Birth: 22/05/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+5.2	+6.4	+0.7	+2.0	+52	+87	+95	+80	+8	+5.3	-4.8
Acc	63%	52%	80%	81%	81%	80%	80%	76%	71%	77%	40%
Perc	25	17	98	13	41	63	91	81	97	1	45
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+47	+6.0	+0.4	+0.9	+0.3	+3.0	+0.40	+22	+0.62	+0.98	+1.00
Acc	68%	67%	67%	68%	59%	71%	58%	71%	61%	61%	59%
Perc	94	56	39	28	60	31	70	41	10	51	39

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 DOUBLE AA OLD POST BANDOLIER #
DAM: SCRK7 ROSELEIGH SARAH K7 #
 ROSELEIGH SARAH S9 #

Notes:

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, IMF), Genomics

\$A		\$A-L	
\$222	30	\$368	36

Purchaser:

\$

Lot 27 ROSELEIGH TOBY T1^{SV} SCR22T1

Date of Birth: 04/05/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-3.2	+2.0	-0.3	+4.6	+60	+103	+129	+111	+13	+3.7	-3.6
Acc	63%	53%	81%	81%	82%	80%	81%	76%	72%	78%	41%
Perc	87	62	95	65	11	18	28	33	82	9	74
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+68	+7.5	-1.9	-1.8	+0.6	+2.3	+0.24	+24	+0.90	+0.80	+0.92
Acc	69%	68%	68%	69%	60%	73%	59%	72%	64%	64%	60%
Perc	47	38	87	76	41	48	53	36	61	13	17

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 CLUDEN NEWRY FRASER F17^{SV}
DAM: SCRK48 ROSELEIGH KINNIE K48 #
 ST PAULS NEB HEATHER B309 #

Notes:

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, IMF), Genomics

\$A		\$A-L	
\$206	49	\$348	53

Purchaser:

\$

Lot 28 ROSELEIGH T72^{PV} SCR22T72

Date of Birth: 08/06/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+1.8	+8.0	-4.7	+3.5	+55	+88	+113	+119	+7	+4.0	-4.1
Acc	65%	55%	81%	82%	82%	81%	81%	77%	73%	79%	43%
Perc	57	7	45	39	29	62	63	22	98	6	63
TACE	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+44	+9.5	+2.0	+0.8	+0.6	+0.7	+0.05	+45	+0.76	+0.98	+1.02
Acc	70%	69%	69%	70%	61%	74%	61%	74%	63%	63%	60%
Perc	96	18	12	30	41	88	31	1	31	51	46

BALDRIDGE BEAST MODE B074^{PV}
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511^{PV}
 CLUNIE RANGE BARUNAH L450^{PV}
 RENNYLEA H7^{PV}
DAM: SCR8 ROSELEIGH N8^{SV}
 ROSELEIGH F77 #

Notes:

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A		\$A-L	
\$186	71	\$347	54

Purchaser:

\$

2024 ROSELEIGH ANGUS BULL SALE

Lot 29 **ROSELEIGH TREVOR T100 SV** **SCR22T100**

Date of Birth: 07/07/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+3.3	-6.7	+0.2	+6.1	+51	+91	+133	+114	+27	+1.6	-5.4
Acc	62%	52%	80%	81%	82%	80%	80%	76%	72%	78%	40%
Perc	43	98	97	90	48	54	21	29	3	70	31
	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+69	+8.7	+1.4	+1.5	+0.6	+1.1	+0.11	+15	+0.56	+0.90	+1.04
Acc	69%	68%	68%	69%	60%	73%	59%	71%	59%	59%	56%
Perc	43	25	19	20	41	80	38	74	6	31	53

BROOKLANA EMPEROR L29 PV
SIRE: AMQQ23 BROOKLANA EMPEROR Q23 PV
 MILLAH MURRAH PRUE M4 SV
 BANKHEDE BREWERY B52 PV
DAM: SCR2106 ROSELEIGH DANDELION #
 ROSELEIGH YENY Y22 #

Notes:

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$198 58	\$344 56

Purchaser:
 \$

Lot 30 **ROSELEIGH T101 PV** **SCR22T101**

Date of Birth: 08/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-3.7	-9.9	-0.1	+6.3	+50	+88	+131	+100	+24	-0.1	-1.7
Acc	64%	54%	81%	81%	82%	81%	81%	77%	73%	79%	41%
Perc	89	99	96	91	55	61	25	51	7	98	95
	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+80	+11.5	-1.7	-2.4	+1.3	+1.2	-0.16	+36	+0.64	+0.92	+0.82
Acc	70%	69%	69%	70%	61%	74%	62%	74%	61%	61%	59%
Perc	16	8	85	84	9	78	13	6	12	36	4

BROOKLANA EMPEROR L29 PV
SIRE: AMQQ23 BROOKLANA EMPEROR Q23 PV
 MILLAH MURRAH PRUE M4 SV
 KROUPALS B&B IDENTITY SV
DAM: SCRQ14 ROSELEIGH Q14 SV
 ROSELEIGH L15 SV

Notes:

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$163 87	\$265 94

Purchaser:
 \$

Lot 31 **ROSELEIGH T96 SV** **SCR22T96**

Date of Birth: 05/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-9.2	+3.6	-4.8	+6.3	+48	+81	+131	+125	+12	+3.2	-3.1
Acc	62%	52%	81%	81%	82%	80%	80%	76%	71%	78%	39%
Perc	98	45	43	91	65	81	24	16	85	17	83
	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+68	+12.5	+1.1	-1.3	+1.5	+2.7	+0.24	+32	+0.64	+0.74	+1.10
Acc	69%	68%	68%	69%	60%	73%	59%	73%	61%	61%	57%
Perc	48	5	24	68	5	38	53	12	12	7	71

COONAMBLE HECTOR H249 SV
SIRE: MANP417 MANDAYEN HECTOR P417 DV
 MANDAYEN BRENDA M401 SV
 MANDAYEN COMPLEMENT L464 PV
DAM: SCR74 ROSELEIGH P74 #
 ROSELEIGH D110 #

Notes:

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$162 87	\$288 88

Purchaser:
 \$

Lot 32 **ROSELEIGH TASMAN T94 SV** **SCR22T94**

Date of Birth: 01/07/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+0.4	+5.9	-8.5	+4.7	+55	+96	+124	+105	+11	+4.8	-5.3
Acc	62%	51%	81%	81%	82%	80%	80%	76%	71%	78%	39%
Perc	68	21	5	67	29	37	38	44	90	2	33
	CWT	EMA	Rib	P8	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+68	+6.7	+0.0	-0.5	+0.0	+2.3	+0.08	+29	+0.78	+1.10	+1.30
Acc	68%	67%	67%	68%	59%	72%	58%	73%	63%	63%	59%
Perc	48	47	48	53	77	48	34	20	35	78	98

COONAMBLE HECTOR H249 SV
SIRE: MANP417 MANDAYEN HECTOR P417 DV
 MANDAYEN BRENDA M401 SV
 BROOKLANA M REALITY K50 SV
DAM: SCR46 ROSELEIGH NELLIE N46 #
 ROSELEIGH JOY J20 #

Notes:

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$206 48	\$361 42

Purchaser:
 \$

Lot 33 ROSELEIGH TAYLOR T112 PV SCR22T112

Date of Birth: 01/08/2022 Register: HBR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+2.6	+3.4	-3.8	+3.9	+49	+94	+124	+110	+14	+2.4	-6.5
Acc	64%	54%	82%	81%	82%	80%	81%	77%	72%	78%	40%
Perc	49	47	60	48	57	42	39	35	76	39	13
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+72	+2.3	+2.3	+5.4	-0.9	+3.2	-0.32	+14	+0.56	+0.96	+1.00
Acc	69%	69%	69%	70%	61%	74%	60%	75%	63%	64%	60%
Perc	36	91	9	1	98	27	6	76	6	46	39

COONAMBLE HECTOR H249 SV
SIRE: MANP417 MANDAYEN HECTOR P417 DV
 MANDAYEN BRENDA M401 SV
 MILLAH MURRAH MARLON BRANDO M304
DAM: SCRR37 ROSELEIGH RACHAEL R37 SV
 ROSELEIGH DANDELION #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, IMF), Genomics

\$A	\$A-L
\$215	38
\$380	26

Lot 34 ROSELEIGH T110 PV SCR22T110

Date of Birth: 30/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-1.0	+5.3	-1.5	+3.7	+51	+94	+125	+102	+19	+3.3	-2.7
Acc	64%	54%	81%	81%	82%	80%	81%	77%	73%	79%	41%
Perc	77	27	89	43	48	42	35	47	33	15	88
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+62	+7.6	-1.4	-1.1	+1.0	+1.9	+0.55	+24	+0.80	+0.96	+0.88
Acc	69%	68%	68%	69%	59%	73%	60%	74%	63%	63%	59%
Perc	65	36	80	64	19	59	82	33	39	46	10

BALDRIDGE BEAST MODE B074 PV
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511 PV
 CLUNIE RANGE BARUNAH L450 PV
 MANDAYEN COMPLEMENT L464 PV
DAM: SCRQ100 ROSELEIGH Q100 SV
 ROSELEIGH H31 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, IMF), Genomics

\$A	\$A-L
\$191	66
\$327	69

Lot 35 ROSELEIGH T103 PV SCR22T103

Date of Birth: 14/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	-4.0	+1.4	-1.3	+5.5	+56	+91	+120	+108	+14	+2.7	-4.5
Acc	64%	54%	82%	82%	83%	81%	81%	77%	73%	79%	41%
Perc	90	68	90	82	24	51	48	37	75	29	53
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+70	+3.7	-1.6	-1.6	+0.6	+0.9	-0.45	+33	+0.50	+0.60	+0.80
Acc	69%	69%	69%	70%	61%	74%	61%	75%	63%	63%	57%
Perc	41	81	83	73	41	84	3	10	3	1	3

COONAMBLE HECTOR H249 SV
SIRE: MANP417 MANDAYEN HECTOR P417 DV
 MANDAYEN BRENDA M401 SV
 RAVENSWOOD MONARCH M232 PV
DAM: SCRR103 ROSELEIGH R103 SV
 ROSELEIGH J8 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$172	81
\$304	82

Lot 36 ROSELEIGH T114 SV SCR22T114

Date of Birth: 04/08/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

January 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+0.8	-0.1	-3.5	+4.8	+58	+93	+117	+112	+11	+3.9	-4.5
Acc	61%	50%	79%	80%	81%	79%	79%	75%	70%	77%	38%
Perc	65	80	65	69	18	45	54	31	89	7	53
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+49	+3.8	-0.2	-0.7	+0.3	+2.0	+0.16	+23	+0.92	+0.90	+0.86
Acc	66%	66%	66%	67%	57%	70%	56%	70%	64%	64%	60%
Perc	92	81	53	57	60	56	43	38	65	31	8

BALDRIDGE BEAST MODE B074 PV
SIRE: NBHP511 CLUNIE RANGE PALM TREE P511 PV
 CLUNIE RANGE BARUNAH L450 PV
 KANSAS DATALINK L25 SV
DAM: SCR101 ROSELEIGH NILE N101 #
 ROSELEIGH SARAH B62 #

Notes:

Purchaser:
 \$

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

\$A	\$A-L
\$192	65
\$339	60

ARE YOU LOOKING FOR EQUIPMENT THAT REQUIRES A LESS CHALLENGING LABOUR RESOURCE BUT WANT TO IMPROVE EFFICIENCY AND PRODUCTIVITY?



The **Haymate** has the following advantages for you

TR4000 FEATURES

- > Base model
- > Tractor drawn
- > Labour saving machine
- > Single person, simple operation
- > Safety first - stay in the cabin while loading and feeding out
- > All operations can be done from ground level
- > Easy to use
- > Minimal manual handling
- > Maximum feed control
- > 4 Round and 5 Small square capability, from straw to high density
- > Ideal machine for silage
- > Tractor remote hydraulic 2 or 3 remote capability
- > Proven feedstock saving
- > Bale feedout from 30 seconds
- > Feed saving of 20-30%
- > Tri axle load share suspension - Tyre options available
- > Can be upgraded to suit large SQ bales

- > Safety features for between property towing.
- > Designed and made here in Australia

FEATURES in addition to TR4000 and anything in-between

- > Towable behind heavy duty Ute, Telehandler or Tractor
- > Single person, simple operation for almost any capable age
- > Fully wireless remote control - Operate from vehicle cabin

- > Handle any 5 Square or 4 Round bales, from silage, straw to high density
- > Totally independent hydraulic operation - powered by a 22hp engine
- > Designed and made here in Australia
- > Multiple applications can be added or upgraded to suit your application

OTHER FEATURES

- > Fire extinguisher
- > Spare tyre holder bracket

More information on our website at

www.haymate.au

Haymate. Range

new generation farming

☎ 0456 883 661

✉ sales@haymate.au



haymate.au



68 Dukes Highway, Keith, South Australia

DISCLAIMER AND PRIVACY INFORMATION

Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

- PV : both parents have been verified by DNA.
- SV : the sire has been verified by DNA.
- DV : the dam has been verified by DNA.
- # : DNA verification has not been conducted.
- E : DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

.....

BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

I, the buyer of animals with the following idents.....

from member.....(name) do not consent to Angus Australia using my name, address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Name: Signature:

Date:

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.

RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or “broken” genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or “broken” alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or “broken” genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by “broken” alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as “carriers”.

What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele, and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.


Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an “Database Search” from the Angus Australia website or looking up individual animals listed in a sale catalogue.

Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia’s Breed Development & Extension Manager on (02) 6773 4618.



What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20 kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes. For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Calving Ease	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	CEDir	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
Carcase	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm ²	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBV	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Feed/Temp.	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more desirable foot angle.
	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate more desirable claw structure.
Selection Index	SA	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
	SA-L	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems. The SA-L index is similar to the SA index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the SA aims to maintain mature cow weight, the SA-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.



WHEN PURCHASING A BULL, CARE AND HANDLING AFTER THE SALE CAN BE AS IMPORTANT AS THE PURCHASE ITSELF.
LOOKING AFTER YOUR BULL WELL DURING THE INITIAL STAGES OF HIS WORKING LIFE MAY ENSURE LONGEVITY
AND SUCCESS WITHIN YOUR BREEDING HERD.

PURCHASE

Temperament is an important characteristic when selecting a bull. Selecting a bull that may be flighty or aggressive will make life difficult for you each time he is handled. Note which bulls continually push to the centre of a mob, run around, or are unreasonably nervous, aggressive or excited.

At the sale, note any changes of temperament by individual bulls. Some bulls that are quiet in the yard or paddock may not like the pressure and noise of the auction and become excited. Others that were excited beforehand get much worse in the sale ring and can really perform. Use the yard or paddock behaviour as a guide, rather than the temperament shown in the ring.

DELIVERY

When transporting your new bull insurance against loss in transit, accidental loss of use, or infertility, is sometimes provided by vendors. Where it is not, it is worth considering. After purchase tips:

- When purchasing, ask which health treatments he has received.
- Treat and handle him quietly at all times - no dogs, no buzzers. Talk to him and give him time and room to make up his mind.
- With more than one bull from different origins, you must be able to separate them on the truck.
- Make sure that the truck floor is covered to prevent bulls from slipping. Sand, sawdust or a floor grid will prevent bulls from being damaged by going down in transit.
- If you can arrange it, put a few quiet cows or steers on the truck with the bull. Let them down into a yard with the bulls for a while before loading and after unloading.
- Unload and reload during the trip as little as possible. If necessary, rest with water and feed. Treat bulls kindly your impatience or nervousness is easily transmitted to an animal unfamiliar to you and unsure of his environment.

IF YOU USE A PROFESSIONAL CARRIER:

- Make sure the carrier knows which bulls can be mixed together.

- Discuss with the carrier, resting procedures for long trips, expected delivery time, truck condition and quiet handling.
- Give ear tag and brand numbers to the carrier and make sure you have the carrier's phone number.
- If buying bulls from interstate, organise any necessary health tests before leaving and work out if any other requirements must be met before cattle can come into another State.

When buying bulls from far away, you may often have to fit in with other delivery arrangements to reduce cost. You should make it clear how you want your bulls handled.

ARRIVAL

When the bull or bulls arrive home, unload them at the yards into a group of house cows, steers or herd cows. Never jump them from the back of a truck directly into a paddock—it may be the last time you see them. Bulls from different origins should be put into separate yards with other cattle for company.

Provide hay and water, then leave them alone until the next morning .

The next day, bulls should receive routine health treatments. If they have not been treated before, all bulls should be vaccinated with:

- 5-in-1 vaccine;
- vibriosis vaccine;
- leptospirosis vaccine (if in areas like the Hunter where leptospirosis exists);
- three-day sickness vaccine (if in areas where this sickness can cause problems).

Give particular attention to preventing new bulls bringing vibriosis into a herd. Vibriosis, a sexually transmitted disease, causes infertility and abortions and is most commonly introduced to a clean herd by an infected bull. These bulls show no signs of the illness. Vaccinated bulls are free from vibriosis, so vaccinating bulls against the disease should be a routine practice.

Vaccination involves two injections, 4–6 weeks apart, at the time of introduction, and then a booster shot every year. Complete the vaccinations 4 weeks before joining.

PURCHASE

DELIVERY

AFTER PURCHASE TIPS

ARRIVAL

MATING NEW YOUNG BULLS

MANAGING OLDER HERD BULL

DURING MATING

NORTHERN AUSTRALIA



Consult with your veterinarian and draw up a policy for treating bulls on arrival and then annually. Bulls should be drenched to prevent introducing worms and, if necessary, should be treated for lice.

Plan to give follow-up vaccinations 4-6 weeks later. Leave the bulls in the yards for the next day or two on feed and water to allow them to settle down with other stock for company. A bull's behaviour will decide how quickly he can be moved out to paddocks.

MATING NEW YOUNG BULLS

Newly purchased young bulls should not be placed with older herd bulls for multiple-sire joining. The older, dominant bull will not allow the young bulls to work, and will knock them around while keeping them away from the cows.

Use new bulls in either single-sire groups or with young bulls their own age. If a number of young bulls are to be used together, run them together for a few weeks before joining starts. They sort out their pecking order quickly and have few problems later.

When the young bulls are working, inspect them regularly and closely.

MATING NEW YOUNG BULLS

Older working bulls also need special care and attention before mating starts. They should be tested or checked every year for physical soundness, testicle tone, and serving capacity or ability.

All bulls to be used must be free-moving, active and in good condition. Working bulls may need supplementary feeding before the joining season to bring up condition.

DURING MATING

- Check bulls at least twice each week for the first 2 months. Get up close to them and watch each bull walk; check for swellings around the sheath and for lameness.
- Have a spare bull or bulls available to replace any that break down. Replace any suspect bull immediately.
- Rotate bulls in single-sire groups to make sure that any bull infertility is covered. Single-sire joining works well but it has risks. The bulls must be checked regularly and carefully, or the bulls should be rotated every one or two cycles.

Bulls are a large investment for breeding herds and they have a major effect on herd fertility. A little time and attention to make sure they are fit, free from disease and actively working is well worthwhile.

NORTHERN AUSTRALIA

Although the Angus breed originated in a cooler climate, they can adapt to subtropical regions with many straight-bred and cross bred producers finding success in Northern Australia. Some of the following information may also be helpful for new bulls located in more temperate climates.

ADAPTATION

The key to Northern success for Angus is that cattle introduced from the Southern regions of Australia be allowed to adapt to their new environment before commencing their working life. If possible, a break of 3 months is advisable before you set your bull to work.

PURCHASE IN COOLER MONTHS

Ensure your bulls are in good condition before they do commence their working life. The cooler months are an ideal time to purchase and introduce Angus cattle, allowing them plenty of time to acclimatise.

CHANGE OF FEED SOURCE

When inducting Angus cattle into your herd consider their source of feed. Have you taken an animal which has been supplemented on grain straight to a dry pasture? Animals should be gradually changed over to their new feed to ensure they do not lose condition. This may involve using supplements which could include dry lick/urea blocks.

MANAGING CATTLE TICKS

For ticky areas, bulls should be vaccinated prior to transport and given another booster afterwards. Remember males are more susceptible to ticks than females.

Information is provided by the Department of Primary Industries NSW. For further information visit the DPI web site: www.dpi.nsw.gov.au, or www.angusaustralia.com.au. Further reading - Buying Angus Bulls

FOR FURTHER INFORMATION VISIT
www.angusaustralia.com.au

Angus Australia Locked Bag 11, Armidale NSW 2350
Phone: (02) 6772 3011 | Fax: (02) 6772 3095
Email: office@angusaustralia.com.au
Website: www.angusaustralia.com.au

41473489

NATIONAL CATTLE HEALTH DECLARATION

V: 16/04/20

Property Identification Code (PIC) of this property
This MUST be the PIC of the property that
the stock is being moved from

SA300425

Attached to accompanying NVD/Waybill No.

41473487

No. of cattle in consignment **40**

Biosecurity and health information

1. Has the owner owned all the cattle in this consignment since birth? Y N
2. Does the property of origin have a completed on-farm biosecurity plan? Y N
3. Have these cattle been tested for the presence of bovine viral diarrhoea virus (BVDV, pestivirus)? Y N
If tested, were any cattle found to be persistently infected? Y N
4. Have these cattle been tested for the presence of BVDV (pestivirus) antibody? Y N
Test results
5. Has the source herd had a test for Johne's disease (JD)? Y N
If so, which test? Check Test Sample Test HEC Test (dairy only)
Was the result negative? Y N Pending Date 15 / 03 / 2021
6. Has the property of origin had an occurrence of clinical JD in any species in the past five years? Y N Unsure
JDDs of 0 J-BAS of 6
7. **BEEF CATTLE: On the property of origin, have cattle been co-grazed with dairy cattle?** Y N Unsure
See explanatory note for advice on co-grazing with non-bovine species
8. Any other relevant health information

Treatments

Treatment for	Product name and type (e.g., pour-on, drench)	Date of treatment within last 6 months
Parasites		/ /
Ticks		/ /
Pain relief		/ /
Other treatments		/ /

Current vaccinations for the cattle being moved (see explanatory note)

- Clostridial (e.g. 5 in 1): Y Date / /
- Leptospira (e.g. 7 in 1): Y Date 15 / 03 / 2023
- Pestivirus: Y Date / /
- JD (Siliinum): Y Date / /
- Botulism: Y Date / /
- Bovine ephemeral fever: Y Date / /
- Tick fever: Y Date / /
- Vibrio: Y Date / /
- Other vaccinations (specify): Bovilis MH + IBR Date 15 / 03 / 2023

Declaration (see explanatory notes for further information)

I **Mat Cowley** (Full name) **730 Rosy Pine Bore Road** (Address)
 (Town/suburb) (State) (Postcode)
PINNAROO SA 5304

I declare that I am the owner or the person responsible for the husbandry of the cattle and that all the information in this document is true and correct. I also declare that I have read and understood all the questions that I have answered, that I have read and understood the explanatory notes, and that I have inspected the animals and deem them to be healthy, free of signs of disease and fit to travel.

Signature* *Mat Cowley*

Date 03 / 01 / 24

*Only the person whose name appears above may sign this declaration, or make amendments which must be initialed

Tel. No. () 0428778482 Email mat@roseleighangus.com.au

BUYERS INSTRUCTIONS

TRADING NAME: _____ STUD PREFIX: _____

CONTACT PERSON: _____ TELEPHONE: _____

ADDRESS: _____

EMAIL: _____

PURCHASING AGENT: _____

IS STUD TRANSFER REQUIRED: YES/NO

ANGUS HERD IDENTITY: _____ PIC: _____

IS IT NECESSARY FOR THE ANIMALS PURCHASED TO MAINTAIN THEIR
JOHNES' STATUS? YES/NO

SPECIAL INSTRUCTIONS: _____

TRANSPORT: _____

LOTS PURCHASED:

LOT: _____ \$: _____ LOT: _____ \$: _____

SIGNATURE: _____





What's behind us... keeps you in front!

RA

Roseleigh Angus

PO Box 142

Pinnaroo SA 5304

Ph. 0428 778 482

www.roseleighangus.com.au